

LIGHTING | Automated

**Profile**

Martin MAC Quantum Profile  
Vari\*Lite VL2600 Profile  
Vari\*Lite VLZ Profile

**Beam / Wash / Hybrid**

Clay Paky Mini-B  
Clay Paky Hy B-Eye K15 **Q2 2022**  
Robe Forte / Forte FS **Q3 2022**  
ShowLine SL Beam 300FX  
Vari\*Lite VL500 LED

**Linear / Strobe**

GLP Impression X4 Bar 10  
GLP Impression X4 Bar 20  
GLP JDC1

LIGHTING | Kinetic

**DMX Winch**

ES-L28 DMX/LED Winch Motor

**Kinetic LED**

RGB LED Sphere 10" (25cm) OD  
RGB LED Tube 20" (50m) Length x 4" (10cm) OD

LIGHTING | Static

**Blinder / Panel**

Elation CuePix Blinder WW2  
Elation CuePix 5x5 Panel

**Ellipsoidal**

ETC Source Four LED Series 2 Lustr  
ETC Source Four Mini LED (3000k)

**Linear**

Chauvet ÉPIX Strip IP  
Chauvet ÉPIX Strip IP 50  
Chroma-Q Color Force 12  
Chroma-Q Color Force 72

**PAR / Pinspot**

ADJ Saber Spot WW  
ADJ Saber Spot RGBW  
Elation ACL PAR 200IP  
Elation SevenPAR 7IP  
Elation SevenPAR 19IP  
Elation Six PAR 100  
TMB ProCan PAR 20 Sora LED

**Strobe**

Techni-Lux Curtain Strobe

**Wireless**

Chauvet Freedom Flex H6 IP

LIGHTING | Accessories

**Arms + Bars**

½ Coupler Style Sidearm 24" | Custom  
Altman Hanging Arm

**Baffling**

City Theatrical Full Top Hat 6¼" | 7½"  
City Theatrical ½ Top Hat 6¼" | 7½"

**Beam Control**

City Theatrical Donut 6¼" | 7½"  
ETC Drop-In Iris

**Clamps**

Beam Clamp ½"  
ETC Iron C-Clamp  
Micro Clamp  
Slim Coupler  
SlimLine Quick Trigger Clamp  
TC Clamp

**Color Enhancers**

Sora 'Snap' PAR20 Color Enhancer

**Color Frames**

ETC Color Frame 3" | 6¼" | 7½"  
City Theatrical Full Top Hat 6¼" | 7½"  
City Theatrical ½ Top Hat 6¼" | 7½"

## LIGHTING | Accessories

---

### **Diffusers**

ÉPIX Diffuser

Square Milky | Round Milky | Stealth Black

ID Border Filter

6" | CF12 | CF48 | CF72 | Seven PAR 71P | 191P

ID Prismatic Filter

6" | CF12 | CF48 | CF72 | Seven PAR 71P | 191P

Soraa 'Snap' PAR 20

17° | 25° | 36° | 60°

### **Floor Bases**

ID Custom Fixture Base (Black)

Add floor base to fixture without having to remove clamps

### **Lenses**

Elation Lenses

CuePix Panel 15° Lens Kit

ETC Source Four Mini Lens

19° | 26° | 36° | 50°

ETC Source Four EDLT Lens

10° | 14° | 19° | 26° | 36° | 50° | 70° | 90°

### **Pattern Holders**

ETC Gobo Holder

A | B | E-Size

ETC Source Four Iris-Slot Gobo Holder

### **Protection**

City Theatrical C-Clip Truss Protector

### **Safety Cables**

Vinyl Coated Safety Cable (Black)

18" | 12"

## EFFECTS | Atmospheric

---

### **Confetti**

Chauvet Funfetti Shot

### **Fan**

Lasko Pro Performance Fan

### **Fog**

Chauvet Vesuvio II

Look Solutions Tiny FX (Wireless)

MDG Me2 High Output Fog Generator

### **Haze**

Base Hazer Pro

MDG Atmosphere ATMe

### **Snow**

CITC Quiet Cube Snow Machine

## EFFECTS | Lasers

---

### **Projectors**

X-Laser Skywriter HPX Tour 10w

### **Control**

Pangolin Beyond Advanced FB3 Dongle

Akai APC 40 MkII Controller

## EFFECTS | Cold Spark

---

### **Devices**

Sparktacular Rainfall Pro

Sparktacular SparkOne Pro

### **Control**

Sparktacular Pyro Sim Controller

## CONTROL

---

### **ETC Consoles**

Color Source 20 Console

Gadget II Two Port USB to DMX/RDM Interface

### **MA Lighting Consoles**

grandMA3 light

grandMA3 onPC Rack Unit

grandMA3 onPC command wing

MA 2Port Node



## DISTRIBUTION DEVICES

### Data Distribution

Cisco SR224G Ethernet Router / Switch  
Madrix Luna 16 ArtNet Node  
ProPlex 2x8 DMX/RDM Optical Splitter  
ProPlex 1x5 DMX/RDM Optical Splitter

### Power Distribution

48 x 20A 120/208V Hybrid Distro  
In/Thru: Cam-Lok GN Reverse with Dual Neutral  
Outputs: (8) 208V Socapex  
(8) 120V Socapex  
(3) L21-30  
(3) 20A Edison Duplex

### Suitcase Distro

Input: Cam-Lok GN Reverse  
Outputs: (8) 208V Socapex  
(3) L21-30  
(3) 20A Edison Duplex

### 30A Stage Box

In/Thru: L21-30  
Outputs: (3) 20A Edison Duplex

### Dimmers

Leprecon ULD-360-HP Dimmer Pack

### Product Specific

Chauvet ÉPIX Drive 2000 IP

### UPS Backup

CyberPower SmartApp Sinewave UPS  
PR750LCDRT1U

## CABLE

### Power Cable

Cam-Lok 200A / 400A  
8' | 24' | 48' | 8' Tie-In Tails  
50A CA6364  
48' | Tie-In Tails  
30A NEMA L21-30  
8' | 24' | 48' | 96' | 144'  
19-Pin Socapex  
2' | 8' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'  
TRUE1  
2' | 4' | 6' | 8' | 10' | 12' | 16' | 20' | 24' | 32' | 40' | 48' | 72' | 96' | 144'  
powerCON  
2' | 4' | 6' | 8' | 10' | 12' | 16'  
20A Stagepin  
4' | 8' | 16' | 24' | 48'  
Edison  
8' | 16' | 24' | 48' | 72' | 96' | 144' | 288'  
32' Stringer | 52' Stringer | 25' Flat Trade Show Cable

### Power Break-In / Break-Out

19-Pin Socapex -to- 6 x Edison 4'  
19-Pin Socapex -to- 6 x Stagepin 4'  
19-Pin Socapex -to- 6 x TRUE1 4'  
L21-30M -to- TRUE 1F "Triple" 4'

### Power Splitters/Couplers

Edison Power Strip  
Edison Triple Tap  
Stagepin Twofer  
TRUE1 'BoXo' Twofer  
powerCON A > B 'Barrel'

### Power Adaptors

Cam-Lok M/M + F/F Barrel  
Hubbell 100A -to- Cam-Lok 8'  
L5-20 -to- Edison 1'  
L5-20 -to- 20A Stagepin 1'  
L6-15 -to- TRUE1 1'  
L6-20 -to- TRUE1 1'  
Edison -to- 20 Stagepin 1'  
Edison -to- powerCON-A 4'  
Edison-M -to- TRUE1-F 4'  
powerCON-A -to- TRUE1-F 2' | 4'  
TRUE1-M -to- powerCON-B 2' | 4'

### Power/Data Cable

XLR 4-Pin Power/Data  
1' | 2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 40' | 48'

### Data Cable

DMX 5-Pin  
2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'  
etherCON CAT6A  
8' | 24' | 48' | 72' | 96' | 144' | 288'

### Data Break-In / Break-Out

TMB SneakSnake 4U 6'

### Data Adaptors + Terminators

DMX 5-Pin -to- 3-Pin  
DMX 5-Pin Female -to- Female | Male -to- Male  
DMX5-M 120Ω Terminator

### Hoist Cable

See Rigging Section



## SCENIC | Screens

---

### **Borderless Projection Screens**

Front Projection

10'x17'9" (1.77:1) | 10' x 30' | 10' x 50'

State of Oregon Shaped Screen 10' x 12'9"

Circular Screen (White with Black Border)

24' OD | 10' OD

## SCENIC | Indigo SEG Frame System

---

Indigo's SEG (Silicone Edge Graphic) frame system consists of interchangeable 2"x2" aluminum tubing with SEG edging. Components include L-corners, T-corners, other unique custom corners, along with straight, curved, and irregular sections. Frames can be configured in multiple shapes and sizes, and can be hung using rated eyebolts, mounted to pipes VIA clamps or swivel couplers, and floor supported using base plates. Standard and custom kits can be assembled and used as tension fabric walls, borderless screens, or scenic panels. Please contact us for more details.

## Printed Stretch Graphics

---

Dye sublimation printing for standard and custom sized stretch graphics. Graphics can be attached to Indigo SEG Frames

## SCENIC | Fabrics

---

### **Backdrops / Legs / Borders / Scrims**

Encore Flat Backdrop (Black)

8'H x 24'6"W | 12'H x 24'6"W | 16'H x 64'W

24'H x 48'6"W | 32'H x 16'6"W

Encore Drape Leg (Black)

16'H x 2'W | 24'H x 4'W | 32' x 6'W

Encore Truss Border (Black)

1'4"H x 64'W | 1'4"H x 32'W

Crushed Velour Austrian Border (Red)

1'4" -to- 2'0"H (Scalloped) x 36'W

Crushed Velour Leg (Red)

16'H x 4'W

Sharkstooth Scrim, Seamless (Black)

16'H x 64'W | 24'H x 48'W

TransNet, Seamless (Black)

32'H x 64'W

### **Star Drops**

ShowLED Star Drop Panels (Classic)

16' x 24' | 16' x 48'

24' x 16' | 24' x 32' | 24' x 48' | 24' x 64' | 24' x 80' | 24' x 96'

32' x 24' | 32' x 48" | 32' x 72'

### **Truss + Pipe Covers**

Lycra Truss Cover, Hook+Loop (Black)

12"x12" @ Any Length up to 100'

Lycra Truss Cover, Pull-Over (White)

12"x12" @ Any Length up to 100'

Lycra Pipe Covers, Pull-Over (Black)

2" Pipe @ Any Length up to 100'

## SCENIC | Hardware

---

### **Track**

Tripe E 2-Way Low Profile Track (Black)

Various straight and custom curved sections and accessories

## SCENIC | CNC Shapes

---

Indigo designs and manages the fabrication for custom scenic pieces - from logos, icons, and dimensional lettering, to multi-dimensional pieces, and nearly any other shape imaginable. Pieces are precision fabricated with CNC, laser, or water jet cutting, from a wide variety of new or reclaimed materials and finished in nearly any color or finish, from powder coating, to hand painting.

## SCENIC | Custom Shop

---

We partner with scenic designers and artists, carpenters, painters, welders, precision benders, electronics experts, and other creatives to create truly unique and amazing scenic creations. Please contact us to begin the conversation. Let's create some magic!



## RIGGING | Truss

### **F-Type Track Truss ID Custom Config (ID Black)**

Straight Sections: 8', 4'

### **16" F45 Center Chord Truss (ID Black)**

Straight Sections: 0,5m | 1m | 1,5m | 2m | 2,5m

Curved Sections: 5m OD x 45°

### **DNA Truss (Silver)**

Straight Sections: 0,5m | 1m | 2m

Adaptors: DNA -to- Flat Conical Adaptor

Corners: F34 "Box" 6-Way Corner Block

### **12" F32 Ladder Truss (ID Black)**

Straight Sections: 0,25m | 0,5m | 0,75m | 0,95m  
1m | 1,5m | 2m | 2,5m

Curved (Vertical): 2m OD x 90° | 3m OD x 90° | 4m OD x 90°  
5m OD x 45° | 6m OD x 45°

Corners: 90°, 3-Way, 4-Way

### **12"x12" Truss (ID Black)**

Straight Sections: 0'6" | 2' | 3' | 4' | 6' | 8'

Curved Sections: 20' OD x 45° | 40' OD x 22.5°

Corners: 5-Way Corner | 22.5° | 30° | 45° | 6-Way Hub

Other: TMB Grapple

### **Adaptor Plates**

ID Plate 12" (Black)

For F32 / F34 / DNA / 12"x12" / Center Hole (Adapter Plate)

ID Plate 16" (Black)

For F44 / F45 / 16"x16" / Center Hole (Adapter Plate)

ID Overhang Plate 12" x 19" (Black)

For hanging bars, pipes, and fixtures to 12" vertical truss

### **Terms**

GLP U-Torm 50 (Black)

GLP U-Top 50 (Black)

## RIGGING | Pipe

### **Pipe**

1.9"OD Aluminum Pipe (ID Black)

1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 12' | 14' | 16' | 20' | Custom lengths up to 20'

1.9"OD Steel Pipe (ID Black)

1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 12' | 14' | 16' | 20' | Custom lengths up to 20'

### **Base Plates**

20.5" x 20.5" Steel (Black)

For Truss 12"x12" | 16"x16" | 20.5"x20.5" | Threaded Pipe

36" x 36" Steel (Black)

For Truss 12"x12" | 16"x16" | 20.5"x20.5" | Threaded Pipe

## RIGGING | Hardware

3M Protecta Rebel SRL	66' (20m)
90° Fixed Coupler (Black)	
Air Wall Hanger - TLS 4"	500 lb. Capacity
Double Swivel Coupler (Black)	
KeeLite Pipe Fittings	Various Styles
Half Coupler	
Half Coupler with Eye Nut	
Half Coupler with Thread Adapter	
Pear Ring	5/8"
Steel Rigging Cable, 3/8"	2'   5'   10'   20'   30'
Spanset, G.A.C. Flex	3'   4'   6'
Sandbag 25 lb. (11.3 kg)	
Shackle	1/4"   1/2"   5/8"   7/8"
Square Half Coupler	2"
STAC Deck Chain	3'
Truss Pick, 1-Ton (Black)	12"   16" F45
Turnbuckle, Eye -to- Eye	6" x 1/2"
VerLock Cable Glider	12'

## RIGGING | Hoists + Lifts

### **Chain Hoists**

TourRig 1-Ton (1,000 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

TourRig 1/2-Ton (500 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

TourRig 1/3-Ton (320 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

### **Hoist Accessories**

MTN Chain Sliders

1-Ton | 1/2-Ton | 1/4-Ton

### **Hoist Distribution + Control**

SD-800 DC Hoist Distro, 8-Way

Power Input: L21-30

Control Input: Veam 25-Pin

Output: (2) Socapex-F 4-Circuit Hoist Power/

SD-PRC-8 Pendant Controller, 8-Way

Control Output: Veam 25-Pin

VSD-DID-TL4 Pendant Controller, 2-Way

Power Input: L21-30

Output: (2) L15-20

SD-PRC-1 "Pickle" Control Station

Input: L15-30 (Hot Pocket Cable)

Output: L15-20 (Hoist Fly Cable)

### **Hoist Cable**

Hoist Fly Cable, L15-20

8' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'

Hoist Breakout, Socapex -to- (4) L15-20 4'

Hoist Pickle Cable, L15-30 50'

Hoist Control Cable, Veam 25-Pin 25/20 50' | 100'

### **Lifts**

Sumner Evertor 20 Lift (Black)

20'7-3/4" (6.29m) Height, 800 lb. (360 kg) Load

Capacity



## PACKAGING

### **Cases (Generic)**

ID 1/8 Pack	12"L x 24"D x 26"H
ID 1/4 Pack	24"L x 24"D x 26"H
ID 1/4 Pack XS	24"L x 24"D x 13"H
ID 1/2 Pack	48"L x 24"D x 26"H
ID 1/2 Pack XT	48"L x 24"D x 39"H
ID 3/4 Pack	72"L x 24"D x 26"H
ID Rack 4U	24"L x 24"D x 13"H
ID Rack 6U	24"L x 24"D x 18"H
ID Rack 8U	24"L x 24"D x 26"H
ID Rack 16U	24"L x 24"D x 39"H

### **Cases (Gear Specific)**

grandMA3 Light Case  
Kinetic Drive Case, 9-Way  
Kinetic Sphere 25m Case, 18-Way  
Kinetic Tube Case, 60-Way  
Martin MAC Quantum Dual Case  
Vari-Lite VLZ / VL2600 Single Case

### **Collapsible Bulk Containers**

Short Container	48"W x 45"D x 25"H
Tall Container	48"W x 45"D x 34"H

### **Fixture Carts**

ID Fixture Cart	48"W x 24"D x 34"H
-----------------	--------------------

### **Flat Carts**

ID 1/2 Flat Cart	96"L x 24"D x 6"H
ID Full Flat Cart	96"L x 24"D x 6"H

### **Hampers**

20 Bushel	48"W x 32"D x 34"H
-----------	--------------------

## PRODUCTION SUPPORT

### **Cable Covers**

5-Channel (Black)  
3' Section | 45° Left Turn  
5-Channel Low Profile ADA (Black)  
3' Section | 45° Left Turn  
1-Channel Low Profile (Black)  
3' Section

### **Canopies (Pop-Up Tents)**

20' x 10' Premium Canopy (Black)  
5' x 5' Flat Top Canopy (Black)

### **Communication**

Motorola 2-Way Digital Radio  
Motorola  
SolidCom M1 Full Duplex Wireless Intercom

### **Furniture**

Console Operator Stool  
6' Folding Table (Black)

### **Generator**

Honda EU7000iS Inverter Generator  
7,000w (peak) / 5,500w (Continuous)

### **Ladders**

Fiberglas A-Frame Ladder, OSHA 1A  
4' | 6' | 8' | 12' | 16'  
Gorilla MPX 26 Multi-Position Ladder  
5' to 11' A-Frame, | 11' to 22' Straight

### **Safety**

3M Road Cones with Reflective Tape  
3M Breakaway Reflective Vest  
3M Basic First Aid Kit

