

LIGHTING | Moving Lights

Profile

- Ayrton Diablo S *New Arrival*
 - Claypaky Mini-B Spot *New Arrival*
 - Robe Esprite
 - Robe Forte / Forte FS
 - Vari-Lite VLZ Profile
- ### Wash/Beam
- Claypaky HY B-Eye K15
 - Claypaky Mini-B
 - Robe MegaPointe
 - Showline SL Beam 300 FX
 - Vari-Lite VL5LED Wash

Linear

- GLP JDC1
- GLP X4 Bar 10
- GLP X4 Bar 20

LIGHTING | Followspot

Automated

- Robe RoboSpot Base Station *New Arrival*
- Robe RoboSpot Motion Camera *New Arrival*

Manual

- Robert Juliat Oz LED Followspot

LIGHTING | Kinetic

Winch

- Kinetic Winch 9m

Attachments

- Kinetic RGB Sphere 15cm OD | 25cm OD
- Kinetic RGB Tube 50cm x 10cm OD
- Kinetic RGB Pixel Tube 1m

LIGHTING | Static

Ellipsoidal

- ETC Source Four LED Series 3 Lustr *New Arrival*
- ETC Source Four LED Series 2 Lustr
- ETC Source Four Mini LED

PAR

- ADJ Saber Spot RGBW / WW
- Elation ACL PAR 200IP
- Elation SevenPAR 7IP
- Elation SevenPAR 19IP
- TMB ProCan PAR 20 LED

Blinder / Panel

- Elation CuePix Blinder WW2
- Elation CuePix Panel 5x5
- Elation DTW Blinder 700IP
- Elation KL Panel XL IP

Linear

- Chauvet ÈPIX Strip IP / IP50
- Chroma-Q Color Force 12
- Chroma-Q Color Force II 48 / 72
- Elation CuePix Strip Tri 1x5

Flexible

- TMB FloppyFlex Digital Large RGBWW

Strobe

- Techni-Lux Curtain Strobe

Wireless

- Chauvet Freedom Flex H4 IP
- Chauvet Freedom H4
- Chauvet Freedom Q1N

FX Specific

- ADJ H2O DMX IR *New Arrival*

Decor Fixtures

- LED Mega Sphere *New Arrival* 20" | 30" | 37"
- LED Wireless Flame Effect Jar

LIGHTING | Accessories

Baffling

- Full Top Hat 6¼" | 7½"
- ½ Top Hat 6¼" | 7½"

Barn Doors

- Elation SevenPAR 7IP | 19IP

Beam Control

- City Theatrical Donut 6¼" | 7½"
- ETC Drop-In Iris

Clamps

- Beam Clamp Micro Clamp Micro Coupler
- Slim Claw Slim Coupler Square Coupler 2"
- Quick Clamp TC Clamp

Color Frames

- Elation SevenPAR 7IP | 19IP
- ETC 2¾ | 6¼" | 7½" | 10" | 14"

Diffusers

- ID Border Filter CF12 | CF72 | Seven PAR 7IP | 19IP
- ID Prismatic Filter CF12 | CF72 | Seven PAR 7IP | 19IP

Floor Bases

- ID Custom Fixture Base (Black)

Lenses

- Source Four EDLT Lens 10° | 14° | 19° | 26° | 36° | 50° | 70° | 90°
- Source Four XDLT Lens *New Arrival* 5° | 10° | 19° | 26° | 36° | 50°
- Source Four Mini Lens 19° | 26° | 36° | 50°

Pattern Holders

- ETC Gobo Holder A | B | E-Size
- ETC Source Four Iris-Slot Gobo Holder

Safety Cables

- ID Vinyl Coated Safety Cable (Black) 18" | 12"

Sidearms

- TLS Super Mega Sidearm 24"



EFFECTS | Atmospheric

Confetti / Streamer

Chauvet Funfetti Shot

Fog

Chauvet Vesuvio II

Look Solutions Tiny FX (Wireless)

MDG Me2 Fog Generator

Haze

HazeBase Fab Hazer

MDG ATMe Haze Generator

Snow

CITC Quiet Cube Snow Machine

EFFECTS | Cold Spark

Sparktacular SparkOne Pro

Sparktacular Pyro Sim Pro Controller

EFFECTS | Laser

Immersion Devices (No FDA variance required)

Minuit Une IVL Dice *New Arrival*

Beam/Graphic Projection (FDA variance required)

X-Laser Skywriter HPX Tour 10w

Control

Pangolin Advanced Beyond / FB3 Dongle

CONTROL | Consoles

ETC

Color Source 20 Console

Gadget II USB to DMX/RDM Interface

Ion XE20 Console *New Arrival*

MA Lighting

grandMA3 light

grandMA3 onPC command wing

grandMA3 onPC Rack Unit

DISTRIBUTION | Devices

Data Distribution

Netron EN12 12-port ethernet/DMX Gateway

Netron EN4 4-port ethernet/DMX Gateway

Netron NS8 8-port Network Switch

ProPlex Opto-Splitter 2x8 DMX/RDM

ProPlex Opto-Splitter 1x5 DMX/RDM

Power Distribution

400A Touring Rack 48x20A 120/208V

400A Cube Pack 24x20A 120/208V

200A Suitcase Distro

30A Floor Box Edison | TRUE1

Dimmers

Leprecon ULD-360-HP Dimmer Pack

Product Specific

Chauvet ÉPIX Drive 2000 IP

TMB Floppy Drive

UPS Backup

CyberPower SmartApp Sinewave UPS

DISTRIBUTION | Cable

Cam-Lok 400A / 200A

4' | 8' | 24' | 48' | 8' Tie-In Tails

50A CS63 'California Style'

48' | Tie-In Tails

30A NEMA L21-30

8' | 24' | 48' | 96' | 144'

19-Pin Socapex

8' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'

TRUE1

2' | 4' | 6' | 8' | 10' | 12' | 16' | 20' | 24' | 32' | 40' | 48' | 72' | 96' | 144'

powerCON

2' | 4' | 6' | 8' | 10' | 12' | 16' | 24'

20A Stagepin

4' | 8' | 16' | 24' | 48'

Edison

8' | 16' | 24' | 48' | 72' | 96' | 144' | Stringer 32' | 52' Flat 25'

Power Break-In / Break-Out

19-Pin Socapex -to- 6 x Edison 4'

19-Pin Socapex -to- 6 x Stagepin 4'

19-Pin Socapex -to- 6 x TRUE1 4'

L21-30M -to- TRUE 1F "Triple" 4'

Power Splitters/Couplers

Edison Power Strip

Edison Triple Tap

powerCON A > B 'Barrel'

Stagepin Twofer

TRUE1 'BoXo' Twofer

Power Adaptors

Cam-Lok M/M + F/F Barrel

Edison -to- 20 Stagepin 1'

Edison -to- powerCON 4'

Edison -to- TRUE1 4'

Hubbell 100A -to- Cam-Lok 8'

L21-30 -to- L21-20 1'

L5-20 -to- Edison 1'

L5-20 -to- 20A Stagepin 1'

L6-15 -to- TRUE1 1'

L6-20 -to- TRUE1 1'

powerCON-A -to- TRUE1-F 2' | 4'

TRUE1-M -to- powerCON-B 2' | 4'

DMX 5-Pin

2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'

etherCON CAT6A

8' | 24' | 48' | 72' | 96' | 144' | 288'

XLR 4-Pin Power/Data

1' | 2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 48'

etherCON / DMX Break-In + Breakout

TMB SneakSnake 4U 6'

Data Adapters / Terminators

DMX 5-Pin -to- 3-Pin

DMX 5-Pin Female -to- Female | Male -to- Male

DMX 5-Pin Terminator 120Ω



RIGGING | Truss

PreRig Track Truss (ID Black) *New Arrival*

Straight Sections 8' | 4'

Corners End Gates with Link Bars (Various Angles)

Tyler GT+ Truss (ID Black)

Straight Sections 8'

16" F45 Center Chord Truss (ID Black)

Straight Sections 0,5m | 1m | 1,5m | 2m | 2,5m

Curved Sections 5m OD x 45°

DNA Truss (Silver)

Straight Sections 0,5m | 1m | 2m

Adaptors DNA -to- Flat Conical Adaptor

Corners F34 "Box" 6-Way Corner Block

12" Box Truss (ID Black)

Straight Sections 0'6" | 1' | 2' | 3' | 4' | 6' | 8'

Curved Sections 20' OD x 45° | 40' OD x 22.5°

Corners 5-Way Corner | 22.5° | 30° | 45°

Other TMB Grapple | TLS Truss Pick (Black)

12" F32 Ladder Truss (ID Black)

Straight Sections 0,25m | 0,5m | 0,75m | 0,95m

1m | 1,5m | 2m | 2,5m

Curve Vertical 2m OD x 90° | 3m OD x 90° | 4m OD x 90°

5m OD x 45° | 6m OD x 45°

Curve Horizontal 1,5m OD x 180° | 2m OD x 180°

4m OD x 90° | 6m OD x 45°

Corners F32 Box 4-Way Corner | Conical Hinge

4" F14 Box Truss (Silver)

Straight Sections 0,3m | 0,5m | 1m | 1,5m | 2m | 2,5m

Corners F14 6-Way Corner

Other F14 Base Plate

Adaptor Plates

ID Plate 12" (Black) F32 / F34 / DNA / 12"x12"

ID Plate 16" (Black) F44 / F45 / 16"x16"

ID Overhang Plate 12" x 19" (Black)

Torms

GLP U-Torm 50 (Black)

GLP U-Top 50 (Black)

RIGGING | Pipe

Pipe

1.9"OD Aluminum Pipe (ID Black)

1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9'

10' | 12' | 14' | 16' | 20' | Custom

1.9"OD SC40 Steel Pipe (ID Black)

1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9'

10' | 12' | 14' | 16' | 20' | Custom

Base Plates

20.5" x 20.5" Steel (Black)

For Truss 12"x12" | 16x'16" | 20.5"x20.5" | Threaded Pipe

36" x 36" Steel (Black)

For Truss 12"x12" | 16x'16" | 20.5"x20.5" | Threaded Pipe

RIGGING | Hardware

Point Rigging

Pear Ring 5/8"

Steel Rigging Cable 3/8" 2' | 5' | 10' | 20' | 30'

Spanset, G.A.C. Flex 3' | 4' | 6'

Shackle 1/4" | 1/2" | 5/8" | 7/8"

STAC Deck Chain 3'

Pipe Rigging

Swivel Coupler (Black)

90° Fixed Coupler (Black)

Kee Lite Pipe Fittings Various Styles

Half Coupler

Half Coupler with Eye Nut

Half Coupler with Thread Adapter

Square Half Coupler

Fall Protection

3M Protecta Rebel SRL 66' (20m)

Ground Support

Matthews Med Overhead Roller (Black) *New Arrival*

Sandbag (Black) 25 lb. (11.3 kg)

Other

Air Wall Hanger, TLS 4"

Truss Pick, 1-Ton (Black) 12" | 16" | F45

RIGGING | Hoists + Lifts

Chain Hoists

TourRig 1-Ton (1,000 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

TourRig 1/2-Ton (500 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

TourRig 1/3-Ton (320 kg)

Direct Control Double Brake, 65' (20m) Lift, 16 FPM

Hoist Accessories

MTN Chain Sliders 1-Ton | 1/2-Ton | 1/3-Ton / 1/4-Ton

Hoist Distribution + Control

SD-800 DC Hoist Distro, 8-Way

Power Input: L21-30

Control Input: Veam 25-Pin

Output: (2) Socapex-F 4-Circuit Hoist Power/

SD-PRC-8 Pendant Controller, 8-Way

Control Output: Veam 25-Pin

VSD-DID-TL4 Pendant Controller, 2-Way

Power Input: L21-30

Output: (2) L15-20

SD-PRC-1 "Pickle" Control Station

Input: L15-30 (Hot Pocket Cable)

Output: L15-20 (Hoist Fly Cable)

Hoist Cable

Hoist Cable L15-20 8' | 16' | 24' | 32' | 40' | 48' | 72' | 96'

Hoist Breakout, Socapex -to- (4) L15-20 4'

Hoist Pickle Cable, L15-30 50'

Hoist Control Cable, Veam 25-Pin 25/20 50' | 100'

Lifts

Sumner Eventer 20 Lift (Black)

20'7-3/4" (6.29m) Height, 800 lb. (360 kg) Load Capacity



SCENIC | Fabrics

Backdrops (Black)

8'H x 24'W | 12'H x 24'W | 16'H x 64'W
24'H x 48'6"W | 32'H x 16'W

Legs (Black)

16'H x 2'W | 16'H x 8'W | 24'H x 4'W | 32' x 8'W

Borders (Black)

1'4"H x 64'W | 1'4"H x 48'W | 1'4"H x 32'W

PolySilk Kabuki Drop Curtain (Black)

24'H x 64'W

Sharkstooth Scrim (Black)

16'H x 32'W | 16'H x 64'W | 24'H x 48'W | 32'H x 64'W

ShowLED Star Drop Panels (Classic)

16' x 24' | 24' x 32'

Panels velcro together and can be hung in any orientation

TransNet (Black)

32'H x 64'W

Truss + Pipe Covers

Lycra Truss Cover, Hook+Loop (Black/White)

12"x12" @ Any Length up to 100'

Lycra Pipe Covers, Pull-Over (Black/White)

2" Pipe @ Any Length up to 100'

SCENIC | Hardware

Kabuki Curtain Release System *New Arrival*

Chabuki Curtain Release Unit, 2-Channel

Chabuki Controller, 4-Channel

Curtain Track

ADC Besteel 170 Stage Track (Black)

Various Straight and Curved Sections

Tripe E 2-Way Low Profile Track (Black)

Various Straight and Curved Sections

Curtain Hardware

ADC

Various Straight and Curved Sections

Tripe E

Various Carriers, End Stops, Other Accessories

SCENIC | Screens

Borderless Front Projection Screens

Standard Sizes

10' x 17'9" | 10' x 30' | 10' x 50' | 13'6" x 24' | Custom Sizes

Custom 'Oregon Screen' 10' x 12'9"

Stretch Fabric Screens

Circular Stretch Screen 24' OD | 20' OD | 10' OD

SCENIC | Modular

Coming Soon

SCENIC | Custom

We partner with scenic designers, carpenters, painters, welders, precision benders, electronics experts, and other creative and technical talents, to create unique custom scenic pieces. Please contact us to begin the conversation.

PRODUCTION | Staging

Sections

SC90 Decks (Black PVC Surface)

8' x 4' | 8' x 2' | 4' x 4'

4' Right Triangle | 8' OD Circle | 16' OD Circle

Legs

Fixed Height 8"

Adjustable Height 16"-24"

Skirting + Carpet

Custom Quote

Stairs

Simple Staircase 2-Step | 3-Step

Stops

Chair Stop (Black) -4' | 8'

PRODUCTION | Support Gear

Cable Covers

5-Channel Low Profile ADA (Black) 3' Section

5-Channel Standard (Black) 3' Section

1-Channel Low Profile (Black) 3' Section

Cases / Carts

ID Custom Cases

Inquire for full range of size options

ID Custom Carts

96" x 32" | 96"x24" | 48"x24"

Communication

SolidCom M1 Full-Duplex Wireless Intercom

Generators

Honda EU7000iS Inverter Generator

7,000w (peak) / 5,500w (Continuous) Ladders

Ladders

A-Frame Fiberglas Ladder OSHA 1A 6' | 8' | 12'

MPX 26 Multi-Position Ladder 12' A-Frame, 11'-22' Straight

Little Giant 'Skyscraper' 9'-17' A-Frame, 11'-22' Straight

Head Equipment

Clark TMX15 Electric Forklift

Genie GR20 Runabout

Safety

Hard Hats

Exit Signs

Fire Extinguishers Type A | Type D

First Aid Kits

Reflective Vests

Road Cones

