

LIGHTING | Automated

Profile

Martin MAC Quantum Profile
Vari*Lite VL2600 Profile
Vari*Lite VLZ Profile

Beam / Wash / Hybrid

Ayrton MagicDot XT
ShowLine SL Beam 300FX
Vari*Lite VL500 LED

Linear / Strobe

GLP Impression X4 Bar 10
GLP Impression X4 Bar 20
GLP JDC1

LIGHTING | Kinetic

DMX Winch

ES-L28 DMX/LED Winch Motor

Kinetic LED

RGB LED Sphere 25cm OD
RGB LED Tube 0.5m x 4cm OD

LIGHTING | Xenon

Strobe

Techni-Lux Curtain Strobe

LIGHTING | LED Static

Blinder / Panel

Elation CuePix Blinder WW2
Elation CuePix 5x5 Panel

Ellipsoidal

ETC Source Four LED Series 2 Lustr
ETC Source Four Mini LED (3000k)

Linear

Chauvet ÉPIX Strip IP
Chauvet ÉPIX Strip IP 50
Chroma-Q Color Force 12
Chroma-Q Color Force 72

Pinspot

ADJ Saber Spot WW
ADJ Saber Spot RGBW

PAR

Elation SevenPAR 7IP
Elation SevenPAR 19IP
Elation ACL PAR 200IP
TMB ProCan PAR 20 Soraa LED

Wireless

Chauvet Freedom Flex H6 IP
Puck Lite, Wireless RGB

LIGHTING | Accessories

Arms and Bars

½ Coupler Style Sidearm 24" | Custom
Altman Hanging Arm

Baffling

City Theatrical Concentric Ring 7½"
City Theatrical Full Top Hat 6¼" | 7½"
City Theatrical ½ Top Hat 6¼" | 7½"

Beam Control

City Theatrical Barn Door 7½"
City Theatrical Donut 6¼" | 7½"
ETC Drop-In Iris

Color Frames

ETC Color Frame 3" | 6¼" | 7½"
City Theatrical Full Top Hat 6¼" | 7½"
City Theatrical ½ Top Hat 6¼" | 7½"

Clamps

ETC Iron C-Clamp
Micro Clamp
Slim Coupler
SlimLine Quick Trigger Clamp
TC Clamp
Beam Clamp ½"

LIGHTING | Accessories

Diffusers

ID Border Lens

6" | CF12 | CF48 | CF72 | Seven PAR 71P | 191P

ID Prismatic Lens

6" | CF12 | CF48 | CF72 | Seven PAR 71P | 191P

ÉPIX Diffuser

Square Milky | Round Milky | Stealth Black

Floor Bases

ID Custom Fixture Base (Black)

Lenses

Soraa 'Snap' PAR 20

10° | 25° | 36° | 60°

Source Four Mini

19° | 26° | 36° | 50°

Source Four EDLT

10° | 14° | 19° | 26° | 36° | 50° | 70° | 90°

Pattern Holder

ETC Gobo Holder

A | B | E-Size

ETC Iris-Slot Gobo Holder

Protection

City Theatrical C-Clip Truss Protector

Safety

Vinyl Coated Safety Cable

18" | 12"

EFFECTS | Atmospheric

Confetti

Chauvet Funfetti Shot

Haze/Fog

Base Hazer Pro

Chauvet Vesuvio II

Look Solutions Tiny FX (Wireless)

MDG Atmosphere ATMe

Snow

CITC Quiet Cube Snow Machine

Wind

Lasko Pro Performance Fan

Vornado Fan

12" | 9"

EFFECTS | Lasers

Projectors

X-Laser Skywriter HPX Tour 10w

EFFECTS | Cold Spark

Devices

Sparktacular SparkOne

Control

Sparktacular Pyro Sim Controller

CONTROL

ETC

Color Source 20 Console

MA Lighting

grandMA3 full size

Q3 2020

grandMA3 light console

grandMA3 compact console

grandMA3 NPU, M

Q2 2020

grandMA3 command wing

MA 2Port Node

Madrix

Madrix 5 Professional Software Key

Pangolin Laser Systems

Pangolin Beyond Advanced FB3 Dongle

Akai APC 40 MkII Controller



DISTRIBUTION DEVICES

Data Distribution

Cisco SR224G Ethernet Router / Switch
Madrix Luna 16 ArtNet Node
ProPlex 2x8 DMX/RDM Optical Splitter
ProPlex 1x5 DMX/RDM Optical Splitter

Power Distribution

48 x 20A 120/208V Hybrid Distro
In/Thru: Cam-Lok GN Reverse with Dual Neutral
Outputs: (8) 208V Socapex
(8) 120V Socapex
(3) L21-30
(3) 20A Edison Duplex

Suitcase Distro

Input: Cam-Lok GN Reverse
Outputs: (8) 208V Socapex
(3) L21-30
(3) 20A Edison Duplex

30A Stage Box

In/Thru: L21-30
Outputs: (3) 20A Edison Duplex

Dimmers

Leprecon ULD-360-HP Dimmer Pack

Product Specific

Chauvet ÉPIX Drive 2000 IP

UPS Backup

CyberPower PR750LCDRT1U UPS

CABLE

Data Cable

DMX 5-Pin
2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'
etherCON CAT6A
8' | 24' | 48' | 72' | 96' | 144' | 288'

Data Break-In / Break-Out

TMB SneakSnake 4U 6'

Data Adapters + Terminators

DMX 5-Pin -to- 3-Pin
DMX 5-Pin Female -to- Female | Male -to- Male
DMX5-M 120Ω Terminator

Power/Data Cable

XLR 4-Pin Power/Data
1' | 2' | 4' | 6' | 8' | 12' | 16' | 24' | 32' | 40' | 48'

Power Cable

Cam-Lok 200A / 400A
8' | 24' | 48' | 8' Tie-In Tails
50A CA6364
48' | Tie-In Tails
30A NEMA L21-30
8' | 24' | 48' | 96' | 144'
19-Pin Socapex
2' | 8' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'
TRUE1
2' | 4' | 6' | 8' | 10' | 12' | 16' | 20' | 24' | 32' | 40' | 48' | 72' | 96' | 144'
powerCON
2' | 4' | 6' | 8' | 10' | 12'
20A Stagepin
4' | 8' | 16' | 24' | 48'
Edison
8' | 16' | 24' | 48' | 72' | 96' | 144' | 288'
32' Stringer | 52' Stringer | 25' Flat Trade Show Cable

Power Break-In / Break-Out

19-Pin Socapex -to- 6 x Edison 4'
19-Pin Socapex -to- 6 x Stagepin 4'
19-Pin Socapex -to- 6 x TRUE1 4'
L21-30M -to- TRUE 1F "Triple" 4'

Power Splitters/Couplers

Edison Power Strip
Edison Triple Tap
Stagepin Twofer
TRUE1 'BoXo' Twofer
powerCON A > B 'Barrel'

Power Adaptors

Cam-Lok M/M + F/F Barrel
Hubbell 100A -to- Cam-Lok 8'
L5-20 -to- Edison 1'
L5-20 -to- 20A Stagepin 1'
L6-15 -to- TRUE1 1'
L6-20 -to- TRUE1 1'
Edison -to- 20 Stagepin 1'
Edison -to- powerCON-A 4'
Edison-M -to- TRUE1-F 4'
powerCON-A -to- TRUE1-F 2' | 4'
TRUE1-M -to- powerCON-B 2' | 4'

Hoist Cable

See Rigging Section



SCENIC | Screens

Borderless Projection Screens

Front Projection

9'x16' | 10'x17'9-3/8" (1.77:1) | 10' x 30' | 10' x 50'

State of Oregon Shaped Screen 10' x 12'9"

Circular Screen (White with Black Border)

24' OD | 3m OD

SCENIC | Indigo SEG Frame System

Indigo's SEG (Silicone Edge Graphic) frame system consists of interchangeable 2"x2" aluminum tubing with SEG edging. Components include L-corners, T-corners, other unique custom corners, along with straight, curved, and irregular sections. Frames can be configured in multiple shapes and sizes, and can be hung using rated eyebolts, mounted to pipes VIA clamps or swivel couplers, and floor supported using base plates. Standard and custom kits can be assembled and used as tension fabric walls, borderless screens, or scenic panels. Please contact us for more details.

Printed Stretch Graphics

Dye sublimation printing for standard and custom sized stretch graphics. Graphics can be attached to Indigo SEG Frames

SCENIC | Fabrics

Backdrops / Legs / Borders / Scrim

Encore Flat Backdrop (Black)

8'H x 24'6"W | 12'H x 24'6"W | 16'H x 64'W

24'H x 48'6"W | 32'H x 16'6"W

Encore Drape Leg (Black)

16'H x 2'W | 24'H x 4'W | 32' x 6'W

Encore Truss Border (Black)

1'4"H x 64'W | 1'4"H x 32'W

Crushed Velour Austrian Border (Red)

1'4" -to- 2'0"H (Scalloped) x 36'W

Crushed Velour Leg (Red)

16'H x 4'W

Sharkstooth Scrim, Seamless (Black)

16'H x 64'W | 24'H x 48'W

TransNet, Seamless (Black)

32'H x 64'W

Star Drops

ShowLED Star Drop Panels (Classic)

Multiple panels can be connected, and hung in any orientation
24' x 32'

Truss + Pipe Covers

Lycra Truss Cover, Hook+Loop (Black)

12"x12" @ Any Length up to 100'

Lycra Truss Cover, Pull-Over (White)

12"x12" @ Any Length up to 100'

Lycra Pipe Covers, Pull-Over (Black)

2" Pipe @ Any Length up to 100'

SCENIC | Hardware

Track

Tripe E 2-Way Low Profile Track (Black)

Various straight and custom curved sections and accessories

SCENIC | CNC Shapes

Indigo designs and manages the fabrication for custom scenic pieces - from logos, icons, and dimensional lettering, to multi-dimensional pieces, and nearly any other shape imaginable. Pieces are precision fabricated with CNC, laser, or water jet cutting, from a wide variety of new or reclaimed materials and finished in nearly any color or finish, from powder coating, to hand painting.

SCENIC | Custom Shop

We partner with scenic designers and artists, carpenters, painters, welders, precision benders, electronics experts, and other creatives to create truly unique and amazing scenic creations. Please contact us to begin the conversation. Let's create some magic!



RIGGING | Truss

Tyler GT Plus Pre-Rigged Truss (Black)

Straight Sections: 8' | 4'
Gates: 22.5° | 30°

16" F45 Center Chord Truss (ID Black)

Straight Sections: 0,5m | 1m | 1,5m | 2m | 2,5m
Curved Sections: 5m OD x 45°

DNA Truss (Silver)

Straight Sections: 0,5m | 1m | 2m
Adaptors: DNA -to- Flat Conical Adaptor
Corners: F34 "Box" 6-Way Corner Block

12" F32 Ladder Truss (ID Black)

Straight Sections: 0,25m | 0,5m | 0,75m | 0,95mm
1m | 1,5m | 2m | 2,5m | 3m
Curved (Vertical): 2m OD x 90° | 3m OD x 90° | 4m OD x 90°
5m OD x 45° | 6m OD x 45°
Corners: 90°, 3-Way, 4-Way

12"x12" Truss (ID Black)

Straight Sections: 6-Inch | 1' | 2' | 3' | 4' | 6' | 8'
Curved Sections: 20'0.75" OD x 45° | 40'0.75" OD x 22.5°
Corners: 5-Way Corner | 22.5° | 45°
Other: TMB Grapple

Adaptor Plates

ID Plate 12" (Black)
For F32 / F34 / DNA / 12"x12" / Center Hole (Adapter Plate)
ID Plate 16" (Black)
For F44 / F45 / 16"x16" / Center Hole (Adapter Plate)
ID Overhang Plate 12" x 19" (Black)
For hanging bars, pipes, and fixtures to 12" vertical truss

Torms

GLP U-Torm 50 (Black)
GLP U-Top 50 (Black)

RIGGING | Pipe

Pipe

1.9" OD Aluminum Pipe (ID Black)
1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 12'
| 14' | 16' | 20' | Custom lengths up to 20'
1.9" OD Steel Pipe (ID Black)
1' | 1'4" | 1'8" | 2' | 2'6" | 2'8" | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 12'
| 14' | 16' | 20' | Custom lengths up to 20'

Base Plates

20.5" x 20.5" Steel (Black)
For Truss 12"x12" | 16"x16" | 20.5"x20.5" | Threaded Pipe
36" x 36" Steel (Black)
For Truss 12"x12" | 16"x16" | 20.5"x20.5" | Threaded Pipe

RIGGING | Hardware

½ Coupler
½ Coupler with Eye Nut
½ Coupler with Thread Adapter
90° Fixed Coupler (Black)
Light Source Air Wall Hanger
Double Swivel Coupler (Black)
KeeLite Pipe Fittings
Pear Ring
Steel Rigging Cable, 3/8"
Spanset, G.A.C. Flex
Sandbag 25 lb. (11.3 kg)
Shackle
STAC Deck Chain
Truss Pick, 1-Ton (Black)
Turnbuckle, Eye -to- Eye
VerLock Cable Glider

Various Styles
5/8"
2' 5' 10' 20' 30'
3' 4' 6'
¼" ½" 5/8" ¾"
3'
12" 16" F45
6" x ½"
12'

RIGGING | Hoists + Lifts

Chain Hoists

TourRig 1-Ton (1,000 kg)
Direct Control Double Brake, 65' (20m) Lift, 16 FPM
TourRig ½-Ton (500 kg)
Direct Control Double Brake, 65' (20m) Lift, 16 FPM
TourRig ¼-Ton (250 kg) Direct Control
Direct Control Double Brake, 65' (20m) Lift, 16 FPM

Hoist Distribution + Control

SD-800 DC Hoist Distro, 8-Way
Power Input: L21-30
Control Input: Veam 25-Pin
Output: (2) Socapex-F 4-Circuit Hoist Power/
SD-PRC-8 Pendant Controller, 8-Way
Control Output: Veam 25-Pin
SD-PRC-1 "Pickle" Control Station
In/Thru: L15-20

Hoist Cable

Hoist Breakout, Socapex -to- (4) L15-20
4'
Hoist Control Cable, Veam 25-Pin 25/20
50' | 100'
Hoist Fly Cable, L15-20
8' | 16' | 24' | 32' | 40' | 48' | 72' | 96' | 144'

Lifts

Sumner Eventer 20 Lift (Black)
20'7-¾" (6.29m) Height, 800 lb. (360 kg) Load Capacity



PACKAGING

Cases (Generic)

ID 1/8 Pack	12"L x 24"D x 26"H
ID 1/4 Pack	24"L x 24"D x 26"H
ID 1/2 Pack	48"L x 24"D x 26"H
ID 3/4 Pack	72"L x 24"D x 26"H
ID Rack 4U	24"L x 24"D x 13"H

Cases (Gear Specific)

Kinetic Drive Case, 9-Way
Kinetic Sphere 25m Case, 18-Way
Kinetic Tube Case, 60-Way
MA3 Compact Case
MA3 Light Case
Martin MAC Quantum Dual Case
Vari-Lite VLZ / VL2600 Single Case

Collapsible Bulk Containers

Short Container	48"W x 45"D x 25"H
Tall Container	48"W x 45"D x 34"H

Fixture Carts

ID Fixture Cart	48"W x 24"D x 34"H
-----------------	--------------------

Flat Carts

ID 1/2 Flat Cart	96"L x 24"D x 6"H
ID Full Flat Cart	96"L x 24"D x 6"H

Hampers

20 Bushel	48"W x 32"D x 34"H
-----------	--------------------

PRODUCTION SUPPORT

Cable Covers

5-Channel (Black)
3' Section | 45° Left Turn
5-Channel Low Profile ADA (Black)
3' Section | 45° Left Turn
1-Channel Low Profile (Black)
3' Section

Canopies (Pop-Up Tents)

20' x 10' Premium Canopy (Black)
5' x 5' Flat Top Canopy (Black)

Furniture

Console Operator Stool
6' Folding Table (Black)

Generator

Honda EU7000iS Inverter Generator
7,000w (peak) / 5,500w (Continuous)

Ladders

Fiberglas A-Frame Ladder, OSHA 1A
4' | 6' | 8' | 12' | 16'
Gorilla MPX 26 Multi-Position Ladder
5' to 11' A-Frame, | 11' to 22' Straight

Safety

3M Road Cones with Reflective Tape
3M Breakaway Reflective Vest
3M Basic First Aid Kit

